

TECHNICAL SPECIFICATIONS OVERVIEW

PRÜFENINGER SCHLOSSGARTEN REGENSBURG

Prüfeninger Schloßstr. 75, 93051 Regensburg

STAGE

Stage dimensions: 9 m W x 8 m D

Approx. stage height: 6 m at centre, arched roof

Stage deck height: approx. 1 m

Roof dimensions: 10 m x 8 m



stage visualised 2027 setup (PA / lights setup may vary depending on event)

HOUSE PA / AUDIO

Main PA:

- 2x KS Audio C Line arrays, 8 cabinets per side (2x8" / 1.75")
- 4x KS Audio T-Sub (8x10")
- 5x KS Audio CL208 for nearfill / outfill
- Dedicated system amplification

Monitoring:

- 8x KS Audio CM215 (15" / 2")
- 2x KS Audio CM1M (10" / 1.75")
- 8 monitor mixes with dedicated system amplification

FOH console:

1x Midas M32

2x Midas DL16 stageboxes

LIGHTING

Conventional / White Light:

- 10x De Sisti 1 kW fixtures
- 2x De Sisti 2 kW fixtures


Moving Lights / Effects:

- 10x LED Moving Head Wash 19x15 W RGBW
- 8x LED Moving Head Spot 200 W, colour wheel
- 1x ACL PAR36 group
- 2x Four-Lite Blinders

Floorset:

- 8 x LED Par 7x10W RGBW, 10°
- 2 x Tourhazer 2

House lighting console: Chamsys Quick Q20



MICROPHONES & ADDITIONAL

- 4x Sennheiser EW550 wireless systems
(4x handheld transmitters with 935 capsules / 2x HSP4 headsets available)
- Full range of microphones, microphone stands and stage cabling
- Shoutbox communication between FOH / backstage / monitor position
- Riser platforms available according to requirements
- 4x dedicated Cat lines, point-to-point to stage, available for lighting and audio

CONTACT

For any questions regarding technical requirements, pre-production or riders, please contact:

Konstantin Morjan

konstantin@pruefeninger-schlossgarten.de

+ 49 172 8484 117